

**Table 1**  
 Summary of Monitoring Well Construction and Groundwater Elevation  
 98 Prospect Street  
 Enfield, Connecticut

Well ID	Elevation	Construction		Well Installation Date	Well Screen or Open Borehole Interval			Groundwater Elevation (4/5/2016)		Groundwater Elevation (5/22/2019)	
	Top of Casing	Total Well Depth (ft)	Casing Material		Depth (ft)	Screen Length (ft)	Media Screened	Depth to GW (feet)	GW Elevation (feet NGVD)	Depth to GW (feet)	GW Elevation (feet NGVD)
MW-1*	95.13	13.81'	1.5-inch PVC	11/10/11 or 11/11/11	10-20'	10'	Overburden	13.00	82.13	11.75	83.38
MW-2	91.09	13.17'	1.5-inch PVC	11/10/11 or 11/11/11	4-14'	10'	Overburden	9.00	82.09	7.67	83.42
MW-3	84.17	18.50'	1.5-inch PVC	11/10/11 or 11/11/11	12-17'	5'	Overburden	10.33	73.84	10.34	73.83
MW-4	90.78	15'	2-inch PVC	3/16/16	5-15'	10'	Overburden	11.91	78.87	10.54	80.24
MW-5	85.03	13'	2-inch PVC	3/16/16	3-13'	10'	Overburden	4.26	80.77	3.88	81.15
MW-6	86.34	15'	2-inch PVC	3/17/16	5-15'	10'	Overburden	14.07	72.27	13.00	73.34
MW-7	88.88	12'	2-inch PVC	5/2/19	2-12'	10'	Overburden	-	-	6.10	82.78
MW-8	91.11	12'	2-inch PVC	5/2/19	2-12'	10'	Overburden	-	-	7.91	83.20

**Notes:**

Elevations based on an arbitrary 100' benchmark

\*Elevation for MW-1 measured from top of standpipe







**Table 2**  
Summary of Soil Analytical Data  
98 Prospect Street  
Enfield, Connecticut

Sample Name	CTDEEP RSRs				HA-223	HA-224	DUP-2	TP-201	TP-201	TP-202	TP-202	TP-203	TP-204	TP-205	TP-206	TP-208	TP-209	TP-209	TP-210	TP-210	TP-212
	Residential Direct Exposure Criteria	Industrial / Commercial Direct Exposure Criteria	GA Pollutant Mobility Criteria	Groundwater Protection Criteria	9/12/2019 0 - 1 ft	9/12/2019 0 - 1 ft	9/12/2019 0 - 1 ft	5/1/2019 0 - 2 ft	5/1/2019 3 - 5 ft	5/1/2019 0 - 2 ft	5/1/2019 2 - 4 ft	5/1/2019 0 - 2 ft	5/1/2019 0 - 1 ft	5/1/2019 0 - 1 ft	5/1/2019 0 - 1.5 ft	5/1/2019 1.5 - 3 ft	5/1/2019 0 - 2 ft	5/1/2019 3 - 4 ft	5/1/2019 1 - 3 ft	5/1/2019 3 - 4 ft	5/1/2019 0 - 0.5 ft
Sample Date					9/12/2019	9/12/2019	9/12/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019	5/1/2019
Sample Depth					0 - 1 ft	0 - 1 ft	0 - 1 ft	0 - 2 ft	3 - 5 ft	0 - 2 ft	2 - 4 ft	0 - 2 ft	0 - 1 ft	0 - 1 ft	0 - 1.5 ft	1.5 - 3 ft	0 - 2 ft	3 - 4 ft	1 - 3 ft	3 - 4 ft	0 - 0.5 ft
Lab Sample ID					CE09351	CE09352	CE09354	CD06730	CD06731	CD06732	CD06733	CD06734	CD06736	CD06738	CD06740	CD06745	CD06746	CD06747	CD06748	CD06749	CD06752
Lab Report ID					GCE09329	GCE09329	GCE09329	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730	GCD06730
Parent Sample					-	-	HA-224 (0-1 ft)	-	-	-	-	-	-	-	-	-	-	-	<64	<58	320
<b>CT ETPH (mg/Ka)</b>	500	2,500	500	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>VOCs (mg/Ka)</b>																					
1,2,4-Trimethylbenzene	500	1,000	2.8	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,3,5-Trimethylbenzene	500	1,000	2.8	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2-Isopropyltoluene	500	1,000	0.5	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-Isopropyltoluene (cymene)	500	1,000	0.5	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene, n-	500	1,000	7	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene, sec-	500	1,000	7	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene, tert-	500	1,000	7	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ethylbenzene	500	1,000	10.1	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isopropylbenzene (cumene)	500	1,000	0.5	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
m,p-Xylene	500	1,000	19.5	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methyl ethyl ketone	500	1,000	8	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n-Propylbenzene	500	1,000	1	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Naphthalene	1,000	2,500	5.6	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
o-Xylene	500	1,000	19.5	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toluene	500	1,000	20	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Xylenes	500	1,000	19.5	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Pesticides (mg/Ka)</b>																					
4,4-DDD	1.8	17	0.003	NA	-	0.006	<0.0015	-	-	-	-	-	-	-	-	-	-	-	-	-	NC
4,4-DDE	1.8	17	0.003	NA	-	0.013	0.026	-	-	-	-	-	-	-	-	-	-	-	-	-	66.66667
4,4-DDT	1.8	17	0.003	NA	-	0.044	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-	37.83784
Chlordane	0.49	2.2	0.066	NA	-	<0.04	<0.038	-	-	-	-	-	-	-	-	-	-	-	-	-	NC
Dieldrin	0.038	0.36	0.007	NA	-	<0.0037	<0.0038	-	-	-	-	-	-	-	-	-	-	-	-	-	NC
Total DDT	1.8	17	0.003	NA	-	0.063	0.056	-	-	-	-	-	-	-	-	-	-	-	-	-	11.76471
<b>SPLP Pesticides (ug/L)</b>																					
4,4-DDD	NA	NA	NA	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4,4-DDE	NA	NA	NA	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4,4-DDT	NA	NA	NA	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlordane	NA	NA	NA	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dieldrin	NA	NA	NA	0.002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>PCBs (mg/Kg)</b>																					
Aroclor-1254	1	10	NA	NA	-	-	-	-	<0.39	-	-	-	-	-	-	-	-	-	-	-	-
Aroclor-1260	1	10	NA	NA	-	-	-	-	<0.39	-	-	-	-	-	-	-	-	-	-	-	-
Total PCBs	1	10	NA	NA	-	-	-	-	<0.39	-	-	-	-	-	-	-	-	-	-	-	-
<b>SVOCs (mg/Kg)</b>																					
2-Methylnaphthalene	270	1,000	0.56	NA	0.73	0.65	<0.77	0.85	<0.24	-	-	0.66	-	<0.27	<0.26	<0.29	<0.28	<0.3	<0.32	<0.27	<0.29
Acenaphthene	1,000	2,500	8.4	NA	<0.27	<0.26	<2.7	<0.26	<0.24	-	-	<0.25	-	<0.27	<0.26	<0.29	<0.28	<0.3	<0.32	<0.27	<0.29
Acenaphthylene	1,000	2,500	8.4	NA	0.9	1.4	<2.7	<0.26	<0.24	-	-	<0.25	-	<0.27	<0.26	<0.29	0.92	<0.3	<0.32	<0.27	2.3
Anthracene	1,000	2,500	40	NA	0.48	0.83	<2.7	<0.26	<0.24	-	-	<0.25	-	<0.27	<0.26	<0.29	0.47	<0.3	<0.32	<0.27	1.3
Benzo(a)anthracene	1	7.8	1	NA	2	2.1	3.6	<0.26	<0.24	-	-	0.56	-	<0.27	0.27	<0.29	2.8	<0.3	<0.32	<0.27	7.3
Benzo(a)pyrene	1	1	1	NA	2.3	2.2	4.3	<0.26	<0.24	-	-	0.58	-	<0.27	0.36	<0.29	3.8	<0.3	<0.32	<0.27	11
Benzo(b)fluoranthene	1	7.8	1	NA	2.6	3	4.7	<0.26	<0.24	-	-	0.73	-	<0.27	0.42	<0.29	4.1	<0.3	<0.32	<0.27	9.1
Benzo(g,h,i)perylene	8.4	78	1	NA	2	1.7	3.9	<0.26	<0.24	-	-	0.44	-	<0.27	<0.26	<0.29	2	<0.3	<0.32	<0.27	5.4
Benzo(k)fluoranthene	8.4	78	1	NA	1.8	2.1	4.1	<0.26	<0.24	-	-	0.54	-	<0.27	0.35	<0.29	2.5	<0.3	<0.32	<0.27	5.4
Chrysene	8.4	78	1	NA	2.6	2.7	4.5	0.28	<0.24	-	-	0.7	-	<0.27	0.47	<0.29	3.1	<0.3	<0.32	<0.27	9.2
Dibenz(a,h)anthracene	1	1	1	NA	0.55	0.48	1.4	<0.26	<0.24	-	-	<0.25	-	<0.27	<0.26	<0.29	0.5	<0.3	<0.32	<0.27	1.5
Fluoranthene	1,000	2,500	5.6	NA	4.4	4.8	7.8	0.4	<0.24	-	-	1.2	-	<0.27	0.93	<0.29	3.9	<0.3	<0.32	<0.27	16
Fluorene	1,000	2,500	5.6	NA	<0.27	<0.26	<2.7	<0.26	<0.24	-	-	<0.25	-	<0.27	<0.26	<0.29	<0.28	<0.3	<0.32	<0.27	0.38
Indeno(1,2,3-cd)pyrene	1	7.8	1	NA	2.1	2	3.4	<0.26	<0.24	-	-	0.58	-	<0.27	0.31	<0.29	2.3	<0.3	<0.32	<0.27	5.4
Naphthalene	1,000	2,500	5.6	NA	0.5	0.49	<2.7	<0.26	<0.24	-	-	<0.25	-	<0.27	<0.26	<0.29	<0.28	<0.3	<0.32	<0.27	0.53
Phenanthrene	1,000	2,500	4	NA	2.7	2.2	3.3	0.27	<0.24	-	-	0.62	-	<0.27	0.58	<0.29	0.91	<0.3	<0.32	<0.27	4.4
Pyrene	1,000	2,500	4	NA	4.7	4.2	7	0.37	<0.24	-	-	1	-	<0.27	0.76	<0.29	4.1	<0.3	<0.32	<0.27	15
<b>SPLP SVOCs (ug/L)</b>																					
2-Methylnaphthalene	NA	NA	NA	28	-	-	<0.5	<0.5	-	-	-	-	-	-	-	-	<0.5	-	-	-	<0.5
Acenaphthene	NA	NA	NA	420	-	-	<0.5	<0.5	-	-	-	-	-	-	-	-	<0.5	-	-	-	<0.5
Acenaphthylene	NA	NA	NA	420	-	-	<0.3	<0.3	-	-	-	-	-	-	-	-	<0.5	-	-	-	<0.3
Anthracene	NA	NA	NA	2,000	-	-	<0.5	<0.5	-	-	-	-	-	-	-	-	<0.5	-	-	-	<0.5
Benzo(a)anthracene	NA	NA	NA	0.06	-	-	<0.05	<0.05	-	-	-	-	-	-	-	-	0.07	-	-	-	0.05
Benzo(a)pyrene	NA	NA	NA	0.2	-	-	<0.2	<0.2	-	-	-	-	-	-	-	-	<0.2	-	-	-	<0.2
Benzo(b)fluoranthene	NA	NA	NA	0.08	-	-	<0.07	<0.07	-	-	-	-	-	-	-	-	<0.07	-	-	-	<0.07
Benzo(g,h,i)perylene	NA	NA	NA	0.48	-	-	<0.48	<0.48	-	-	-	-	-	-	-	-	<0.48	-	-	-	<0.48
Benzo(k)fluoranthene	NA	NA	NA	0.5	-	-	<0.5	<0.5	-	-	-	-	-	-	-	-	<0.5	-	-	-	<0.5
Chrysene	NA	NA	NA	4.8	-	-	<0.5	<0.5	-	-	-	-	-	-	-	-	<0.5	-	-	-	<0.5
Dibenz(a,h)anthracene	NA	NA	NA	0.1	-	-	<0.1	<0.1	-	-	-	-	-	-	-	-	<0.1	-	-	-	<0.1
Fluoranthene	NA	NA	NA	280	-	-	<0.5	<0.5	-	-	-	-	-	-	-	-	<0.5	-	-	-	<0.5
Fluorene	NA	NA	NA	280	-	-	<0.5	<0.5	-	-	-	-	-	-	-	-	<0.5	-	-	-	<0.5
Indeno(1,2,3-cd)pyrene	NA	NA	NA	0.1	-	-	<0.1	<0.1	-	-	-	-	-	-	-	-	<0.1	-	-	-	<0.1

**Table 3**  
 Summary of Groundwater Analytical Data  
 98 Prospect Street  
 Enfield, Connecticut

Sample ID Sample Date Laboratory Sample ID Primary Sample ID	CTDEEP RSRs				LEA-MW-1			LEA-MW-2			LEA-MW-3			MW-4	DUP	MW-4
	GWPC	SWPC	RES VC	IC VC	12/1/2011	4/6/2016	5/22/2019	12/1/2011	4/6/2016	5/22/2019	12/1/2011	4/6/2016	5/22/2019	4/5/2016	4/5/2016	5/22/2019
					-	BN08129	CD20233	-	BN08127	CD20236	-	BN08128	CD20229	BN06700	BN06701	CD20235
					-	-	-	-	-	-	-	-	-	-	MW-4	-
<b>CT ETPH (ug/L)</b>	250	250	250	250	ND	<70	<70	900	-	<70	ND	<70	<70	<b>430</b>	<b>560</b>	<66
<b>VOCs (ug/L)</b>																
Bromodichloromethane	1	510	1.1	35	ND	<0.5	0.55	ND	<0.5	<0.5	ND	<0.5	<0.5	<0.5	<0.5	<0.5
Chloroform	6	14,100	287	710	ND	<1	1.9	ND	<1	<1	ND	<1	<1	<1	<1	<1
Methyl tert butyl ether	100	10000	50,000	50,000	ND	<1	<1	264	6.5	1.7	ND	<1	<1	<1	<1	<1
<b>Oxygenates (ug/L)</b>																
Tert Butyl Alcohol					ND	-	-	20,900	<200	<100	ND	-	-	-	-	<100
<b>PAHs (ug/L)</b>																
Acenaphthene	420	150	30,500	50,000	ND	<0.05	<0.5	ND	<0.05	<0.5	ND	<0.05	<0.48	0.24	0.24	<0.5
Anthracene	2,000	1,100,000	NA	NA	ND	<0.05	<0.5	ND	0.21	<0.5	ND	<0.05	<0.48	0.08	0.08	<0.5
Benz(a)anthracene	0.06	0.3	NA	NA	ND	<0.05	<0.05	ND	0.42	<0.05	ND	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(a)pyrene	0.2	0.3	NA	NA	ND	<0.05	<0.2	ND	0.49	<0.2	ND	<0.05	<0.19	<0.05	<0.05	<0.2
Benzo(b)fluoranthene	0.08	0.3	NA	NA	ND	<0.05	<0.07	ND	0.41	<0.07	ND	<0.05	<0.07	<0.05	<0.05	<0.07
Benzo(g,h,i)perylene	0.48	150	NA	NA	ND	<0.05	<0.48	ND	0.31	<0.48	ND	<0.05	<0.46	<0.05	<0.05	<0.48
Benzo(k)fluoranthene	0.5	0.3	NA	NA	ND	<0.05	<0.3	ND	0.36	<0.3	ND	<0.05	<0.29	<0.05	<0.05	<0.3
Chrysene	4.8	0.54	NA	NA	ND	<0.05	<0.5	ND	0.34	<0.5	ND	<0.05	<0.48	<0.05	<0.05	<0.5
Dibenz(a,h)anthracene	0.1	0.3	NA	NA	ND	<0.01	<0.1	ND	0.03	<0.1	ND	<0.01	<0.1	<0.01	<0.01	<0.1
Fluoranthene	280	3,700	NA	NA	ND	<0.05	<0.5	ND	0.97	<0.5	ND	<0.05	<0.48	0.12	0.11	<0.5
Fluorene	280	140,000	NA	NA	ND	<0.05	<0.5	ND	<0.05	<0.5	ND	<0.05	<0.48	0.33	0.32	<0.5
Indeno(1,2,3-cd)pyrene	0.1	0.54	NA	NA	ND	<0.05	<0.1	ND	0.29	<0.1	ND	<0.05	<0.1	<0.05	<0.05	<0.1
Phenanthrene	200	14	NA	NA	ND	<0.05	<0.06	ND	0.3	<0.06	ND	<0.05	<0.06	0.06	0.06	<0.06
Pyrene	200	110,000	NA	NA	ND	<0.05	<0.5	ND	0.92	<0.5	ND	<0.05	<0.48	0.15	0.14	<0.5
<b>Metals (ug/L)</b>																
Barium	1,000	2200	NA	NA	ND	206	181	56.8	64	80	107	147	108	54	53	29
Cadmium	5	6	NA	NA	ND	<1	<1	ND	1	<1	ND	<1	<1	<1	<1	<1
Total Chromium	50	NA	NA	NA	ND	<1	<1	ND	3	<1	ND	<1	<1	<1	<1	<1
Copper	1,300	48	NA	NA	ND	<5	<5	ND	6	<5	ND	<5	<5	<5	<5	<5
Lead	15	13	NA	NA	ND	<2	<2	ND	<2	<2	ND	<2	<2	<2	<2	<2
Nickel	100	880	NA	NA	ND	1	<1	15	52	3	ND	2	<1	22	22	9
Zinc	5,000	123	NA	NA	ND	15	9	998	464	334	ND	2	<4	38	39	17

**Notes:**  
 CTDEEP RSRs- Connecticut Department of Energy and Environmental Protection  
 Remediation Standard Regulations (June 27, 2013)  
 GWPC- Groundwater Protection Criteria  
 SWPC- Surface Water Protection Criteria  
 RES VC- Residential Groundwater Volatilization Criteria  
 I/C VC- Industrial/Commercial Groundwater Volatilization Criteria  
 Criteria in italics note parameters that are CTDEEP Additional Polluting Substances  
 (September 20, 2018)  
 NE- Not established  
 NA- Not Applicable  
 Results presented in micrograms per liter (µg/L)  
 ND indicated compound was not detected. Detection limit is not provided.  
 < xx indicates compound was not detected. Detection limit is provided.  
 Blue Text indicates exceedance of GWPC  
 Gray shaded values indicate exceedance of SWPC  
 Boxed values indicate exceedances of RES VC  
 Bold values indicate exceedances of I/C VC

**Table 3**  
Summary of Groundwater Analytical Data  
98 Prospect Street  
Enfield, Connecticut

Sample ID Sample Date Laboratory Sample ID Primary Sample ID	CTDEEP RSRs				MW-DUP	MW-5		MW-6		MW-7	MW-8	Trip Blanks	
	GWPC	SWPC	RES VC	IC VC	5/22/2019 CD20237 MW-4	4/5/2016 BN06702	5/22/2019 CD20230	4/5/2016 BN06703	5/22/2019 CD20232	5/22/2019 CD20234	5/22/2019 CD20231	4/6/2016 BN08130	4/5/2016 BN06704
<b>CT ETPH (ug/L)</b>	250	250	250	250	<66	<70	<70	<70	<71	<70	<76	-	-
<b>VOCs (ug/L)</b>													
Bromodichloromethane	1	510	1.1	35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Chloroform	6	14,100	287	710	<1	<1	<1	<1	<1	<1	<1	<1	<1
Methyl tert butyl ether	100	10000	50,000	50,000	<1	<1	<1	<1	<1	<b>1.1</b>	<1	<1	<1
<b>Oxygenates (ug/L)</b>													
Tert Butyl Alcohol					<100	-	-	-	-	-	-	-	-
<b>PAHs (ug/L)</b>													
Acenaphthene	420	150	30,500	50,000	<0.5	<0.05	<0.5	<0.05	<0.5	<0.5	<0.53	-	-
Anthracene	2,000	1,100,000	NA	NA	<0.5	0.13	<0.5	<0.05	<0.5	<0.5	<0.53	-	-
Benz(a)anthracene	0.06	0.3	NA	NA	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-
Benzo(a)pyrene	0.2	0.3	NA	NA	<0.2	<0.05	<0.2	<0.05	<0.2	<0.2	<0.2	-	-
Benzo(b)fluoranthene	0.08	0.3	NA	NA	<0.07	0.09	<0.07	<0.05	<0.07	<0.07	<0.07	-	-
Benzo(g,h,i)perylene	0.48	150	NA	NA	<0.48	<0.05	<0.48	<0.05	<0.48	<0.48	<0.48	-	-
Benzo(k)fluoranthene	0.5	0.3	NA	NA	<0.3	0.06	<0.3	<0.05	<0.3	<0.3	<0.3	-	-
Chrysene	4.8	0.54	NA	NA	<0.5	0.06	<0.5	<0.05	<0.5	<0.5	<0.53	-	-
Dibenz(a,h)anthracene	0.1	0.3	NA	NA	<0.1	<0.01	<0.1	<0.01	<0.1	<0.1	<0.1	-	-
Fluoranthene	280	3,700	NA	NA	<0.5	<0.05	<0.5	<0.05	<0.5	<0.5	<0.53	-	-
Fluorene	280	140,000	NA	NA	<0.5	<0.05	<0.5	<0.05	<0.5	<0.5	<0.53	-	-
Indeno(1,2,3-cd)pyrene	0.1	0.54	NA	NA	<0.1	<0.05	<0.1	<0.05	<0.1	<0.1	<0.1	-	-
Phenanthrene	200	14	NA	NA	<0.06	<0.05	<0.06	<0.05	<0.06	<0.06	<0.06	-	-
Pyrene	200	110,000	NA	NA	<0.5	0.07	<0.5	<0.05	<0.5	<0.5	<0.53	-	-
<b>Metals (ug/L)</b>													
Barium	1,000	2200	NA	NA	27	79	75	84	61	65	99	-	-
Cadmium	5	6	NA	NA	<1	<1	<1	<1	<1	<1	<1	-	-
Total Chromium	50	NA	NA	NA	<1	<1	<1	<1	<1	<1	<1	-	-
Copper	1,300	48	NA	NA	<5	9	<5	<5	<5	<5	<5	-	-
Lead	15	13	NA	NA	<2	5	<2	<2	<2	<2	<2	-	-
Nickel	100	880	NA	NA	8	7	4	<1	<1	1	<1	-	-
Zinc	5,000	123	NA	NA	15	51	53	<2	<4	7	14	-	-

**Notes:**  
 CTDEEP RSRs- Connecticut Department of Energy and Environmental Protection  
 Remediation Standard Regulations (June 27, 2013)  
 GWPC- Groundwater Protection Criteria  
 SWPC- Surface Water Protection Criteria  
 RES VC- Residential Groundwater Volatilization Criteria  
 I/C VC- Industrial/Commercial Groundwater Volatilization Criteria  
 Criteria in italics note parameters that are CTDEEP Additional Polluting Substances  
 (September 20, 2018)  
 NE- Not established  
 NA- Not Applicable  
 Results presented in micrograms per liter (µg/L)  
 ND indicated compound was not detected. Detection limit is not provided.  
 < xx indicates compound was not detected. Detection limit is provided.  
 Blue Text indicates exceedance of GWPC  
 Gray shaded values indicate exceedance of SWPC  
 Boxed values indicate exceedances of RES VC  
 Bold values indicate exceedances of I/C VC